

DAFTAR REFERENSI

- Adham, M., Kurniawan A. N., Muhtadi A. I., Roezin A., Hermani B., Gondhowiardjo S., Tan I. B. & Middeldorp J. M., 2012. Nasopharyngeal Carcinoma in Indonesia: Epidemiology Incidence Signs and Symptoms at Presentation. *Chinese J. Cancer*; 31(5) pp.185-196.
- Amos, C. I., 2008. Genome-Wide Association Scan of Tag SNPs Identifies a Susceptibility Locus for Lung Cancer at 15q25.1. *Nat. Genet.*; 40 pp.616-622.
- Ariwibowo, H., 2013. Faktor Risiko Karsinoma Nasofaring. *CDK 204*; 40(5) pp.248-251.
- Asroel, H. A., 2002. *Penatalaksanaan Radioterapi pada Karsinoma Nasofaring*. USU digital Library.
- Ballenger, J. Jacob, 1994. *Penyakit Telinga Hidung Tenggorok Kepala dan Leher*. Edisi 13, Jilid 1. Jakarta: Binarupa Aksara: pp.371-396.
- Barnes, L., Eveson J. W., Reichart P. & Sidiamsky D., 2005. World Health Organization Classification of Tumours. *Pathology and Genetics of Head and Neck Tumours*. Lyon: IARC Press.
- Bei, Jin Xin, Wen-Hui Su, Ching Ching Ng, Kai Yu, Yoon-Ming Chin, Pei-Jen Lou, Wan-Lun Hsu, James D. McKay, Chien-Jen Chen, Yu-Sun Chang, Li-Zhen Chen, Ming-Yuan Chen, Qian Cui, Fu-Tuo Feng, Qi-Shen Feng, Yun-Miao Guo, Wei-Hua Jia, Alan Soo-Beng Khoo, Wen-Sheng Liu, Hao-Yuan Mo, Kin-Choo Pua, Soo-Hwang Teo, Ka-Po Tse, Yun-Fei Xia, Hongxin Zhang, Gang-Qiao Zhou, Jian-Jun Liu, Yi-Xin Zeng & Allan Hildensheim, 2016. A GWAS Meta-Analysis and Replication Study Identifies a Novel Locus within CLPTM1L/TERT Associated with Nasopharyngeal Carcinoma in Individuals of Chinese Ancestry. *Cancer Epidemiol Biomarkers Prev*; 25(1) pp.188-192.
- Blasco, M. A., 2005. Telomeres and Human Disease: Ageing, Cancer and Beyond. *Nat. Rev. Genet*; 6 pp.611-622.
- Bodnar, A. G., 1998. Extension of Life-Span by Introduction of Telomerase into Normal Human Cells. *Science*; 279 pp.349-352.
- Buell, P., 1974. The Effect of Migration on the Risk of Nasophayngeal Cancer among Chinese. *Cancer Res*; 34 pp.1189-1191.
- Chang, E. T. & Adami H. O., 2006. The Enigmatic Epidemiology of Nasopharyngeal Carcinoma. *Cancer Epidemiol Biomarkers Prev*; 15 pp.1765-1777.
- Chien, Y. C. & Chen C. J., 2003. Epidemiology and Etiology of Nasopharyngeal Carcinoma: Gene-Environment Interaction. *Asia-Pacific J.*; 1(1) pp.1-19.
- Cho, W. C., 2007. Nasopharyngeal Carcinoma: Molecular Discovery and Progress. *Mol Cancer*; 6(1) pp.43-56.
- Cottrill C. P. & Nutting C. M., 2003. *Tumors at the Nasopharynx*. London: Martin Dunitz.

- Fachiroh, J., Sangrajang S., Johansson M., Renard H., Gaborieau V. & Chabrier A., 2012. Tobacco Consumption and Genetic Susceptibility to Nasopharyngeal Carcinoma (NPC) in Thailand. *Cancer Causes Control*; 23 pp.1995-2002.
- Fles, R., Wilderman M. A., Sulistiono B., Haryana S. M. & Tan I. B., 2010. Knowledge of General Practitioners about Nasopharyngeal Cancer at Puskesmas in Yogyakarta, Indonesia. *BMC Medical Education*; 10(81) pp.1-6.
- Gautama, E. E., Hariwiyanto B., Rianto B. U. D. & Christanto A., 2011. Gangguan Indra Pengecap dan Penghidu Pasca-terapi Karsinoma Nasofaring. *CDK* 187; 38(6) pp.437.
- Gullo, C., Wong K. L. dan Teoh G., 2008. Association of Epstein-Barr Virus with Nasopharyngeal Carcinoma and Current Status of Development of Cancer-derived Cell Lines. *Ann Acad Med Singapore*; 37 pp.769-777.
- Handoyo, D. & Ari R., 2000. Prinsip Umum dan Pelaksanaan *Polymerase Chain Reaction* (PCR) [General Principles and Implementation of Polymerase Chain Reaction]. *Unitas*; 9(1) pp.17-29.
- Hsiao, J. R., Yin T. J. & Sen T. T., 2002. Detection of Cell Free Epstein-Barr Virus DNA in Sera from Patients with Nasopharyngeal Carcinoma. *Cancer*; 94(3) pp.723-729.
- Hsu, W. L., Chen J. Y. & Chien Y. C., 2009. Independent Effect of EBV and Cigarette Smoking on Nasopharyngeal Carcinoma: a 20-Year Follow-up Study on 9,622 Males without Family History in Taiwan. *Cancer Epidemiol Biomarkers Prev*; 18(1) pp.1218-1226.
- Jemal, A., Bray F., Center C. C., Ferlay J., Ward C. & Forman D., 2011. Global Cancer Statistics. *Cancer J. Clin*; 61 pp.69-90.
- Jia, W. H., Feng B. J., Xu Z. L., Zhang X. S., Huang P. & Huang L. X., 2004. Familial Risk and Clustering of Nasopharyngeal Carcinoma in Guangdong, China. *Cancer*; 101(2) pp.363-369.
- Kenway, N., Leung S. F., Johnson P. J. & Woo J., 2004. Nutritional Consequences of Radiotherapy in Nasopharynx Cancer Patients. *J of Nutrition and Cancer*; 2(1) pp.156-161.
- Kurniawan, A. N., 1994. Nasopharynx and Pharynx dalam kumpulan kuliah Patologi. Jakarta: FKUI; pp.151-152.
- Landi, M. T., Chatterjee N., Yu K., Goldin L. R., Goldstein A. M. & Rotunno M., 2009. A Genome-Wide Association Study of Lung Cancer Identifies a Region of Chromosome p15 Associated with Risk for Adenocarcinoma. *Am. J. Hum. Genet.*; 85 pp.679-691.
- Ligner, J., Haghens T. R. & Shevchenko A., 1997. Reverse Transcriptase Motifs in the Catalytic Subunit of Telomerase. *Science*; 276 pp.561-567.
- Liu, Zhen Sheng, Guo Jun Li, Sheng Wei, Jian Gong Niu, Li-E Wang, Erich M. Sturgis & Qing Yi Wei, 2010. Genetic Variations in TERT-CLPTM1L Genes and Risk of Squamous Cell Carcinoma of the Head and Neck. *Carcinogenesis*; 31 pp.1977-1981.

- Lo Y. M. D., Chan L. Y. S., Lo C. K. W., Leung S. F., Zhang J. & Chan A. T. C., 1999. Quantitative Analysis of Cell-Free Epstein-Barr Virus DNA in Plasma Patients with Nasopharyngeal Carcinoma. *Cancer Res*; 59(1) pp.1188-1191.
- Louie, M., Louie L., & Simor A. E., 2000. The Role of DNA Amplification Technology in the Diagnosis of Infectious Disease. *Can Med Assoc J*; 9 pp.163-201.
- Lutan, R. & Zachreini I., 1999. Immunohistochemical Corelation between Nasopharyngeal Carcinoma and Epstein Barr Virus. *Asean Otorhinolaryngology-Head and Neck Surgery J*; 3(3) pp.257-259.
- Mansjoer, A., 1999. *Kapita Selekt Kedokteran ed. III, Jilid 1*. Jakarta: FKUI, Media Aesculapius; pp.371-396.
- Meyerson, M., Counter C.M., Eatan E.N., Ellisen L.W., Steiner P., Caddle S.D., Ziaugra L., Beijersbergen R.L., Davidoff M.J., Liu Q., Bacchetti S., Haber D.A. & Weinberg R.A., 1997. hEST2, The Putative Human Telomerase Catalytic Subunit Gene, is Upregulated in Tumor Cells and During Immortalization. *Cell*; 90 pp.785-795.
- Munir, D., Ramsi L., Mangain H. & Fauziah H., 2007. Ekspresi Protein p53 Mutan pada Karsinoma Nasofaring. *MKN*; 40(3) pp.163-172.
- National Cancer Institute, 2009. *Nasopharyngeal Cancer Treatment*. U.S.A. (diakses pada 10 November 2016 melalui <http://www.cancer.gov/cancertopics/pdq/treatment/nasopharyngeal/HealthProfessional/page9>).
- Neel, H. B., Pearson G. R. & Taylor W. F., 1984. Antibodies to Epstein-Barr Virus in Patient with Nasopharyngeal Carcinoma and Comparison Groups. *Ann Otol Rhinol Laryngol*; 93(1) pp.447-482.
- Ningsih, Tri Yulia. 2015. *Deteksi Molekuler Gen Litik BRLF1 Epstein-Barr Virus pada Penderita Karsinoma Nasofaring*. Unpublised. Skripsi Fakultas Biologi Unsoed.
- Ondrey, F. G. & Wright S. K., 2003. Neoplasms of the Nasopharynx. *J. of Otorhinolaryngology Head and Neck Surgery*; 16(1) pp.1407-1422.
- Pande, Mala, Margaret R. Spitz, Xifeng Wu, Ivan P. Gorlov, Wei V. Chen, & Christopher I. Amos, 2011. Novel Genetic Variants in the Chromosome 5p15.33 Region Associate with Lung Cancer Risk. *Carcinogenesis*; 32(10) pp.1493-1499.
- Parkin, D. M., Laara E. & Muir C. S., 1998. Estimates of the Worldwide Frequency of Sixteen Major Cancers in 1980. *Int. J. Cancer*; 41 pp.184-197.
- Roezin, A., 1999. Berbagai Faktor Penyebab dan Predisposisi Karsinoma Nasofaring. *Maj. Kedokt. Indon*; 49 (3) pp.85-88.
- Roezin, A. & Anida, 2007. Karsinoma Nasofaring *dalam* Buku Ajar Ilmu Kesehatan Telinga Hidung Tenggorok Kepala dan Leher. Edisi 6. Jakarta: FKUI.

- Roezin, A. & Syafril A., 1990. Karsinoma Nasofaring *dalam* Buku Ajar Ilmu Kesehatan Telinga, Hidung, Tenggorok, Kepala dan Leher. Ed. 5. Jakarta: FKUI; pp.146-159.
- Sambrook, J. & Russel D. W., 1989. *Molecular Cloning: A Laboratory Manual*. New York: Cold-Spring Harbor Laboratory Press.
- Savitri, E & Sofia M.H., 2012. Profil Viral Load Epstein-Barr Virus dan Titer Antibodi Ig A (VCA. P18+ EBNA-1) pada Karsinoma Nasofaring di Makassar dan Yogyakarta. *J. Indon Med Assoc*; 62(5) pp.174-177.
- Shotelersuk K., Khorprasert C., Sakdikul S., Pornthanakasem W., Voravud N. & Mutirangura A., 2000. Epstein-Barr virus DNA in Serum/Plasma as a Tumor Marker for Nasopharyngeal Carcinoma. *Clin Cancer Res*; 6(1) pp.1046-1051.
- Soepardi, E. A., Iskandar N., Bashiruddin J., Restuti R. D., 2007. *Buku Ajar Ilmu Kesehatan: Telinga Hidung Tenggorok Kepala dan Leher*. Edisi ke 6. Jakarta: Balai Penerbit FKUI.
- Steven, S. J. C., Verkuijlen S. A. W. M., Hariwiyono B., Harijadi Paramita D. K., Fachiroh J., Marlinda A., Tan I. B., Haryana S. M. & Middeldrop J. M., 2006. Noninvasive Diagnosis of Nasopharyngeal Carcinoma: Nasopharyngeal Brushing Reveal High Epstein-Barr Virus (EBV) DNA Load and Carcinoma-Specific Viral BARF1 mRNA. *Int. J. Cancer*; 119 pp.608-614.
- Surzycki, S., 2000. *Basic Techniques in Molecular Biology*. Berlin: Springer-Verlag.
- Syafaruddin & Tri J. S., 2011. Optimasi Teknik Isolasi dan Purifikasi DNA yang Efisien dan Efektif pada Kemiri Sunan (*Reutalis trisperma* (Blanco) Airy Shaw). *J. Littri*; 17(1) pp.11-17.
- Thompson, L.D.R., 2007. Update on Nasopharyngeal Carcinoma. *Head and Neck Pathol*; 1 pp.81-86.
- Trotti, A., Johnson D. J., Gwede C., Casey L., Sauder B. & Cantor A., 2002. Development of a Head and Neck Companion Module of the Quality of Life Radiation Therapy Instrument (QOL-RTI). *Int. J. Radiat Oncol Bio Phys*; 42(1) pp.257-261.
- Wong, Thian-Sze, Dora Lai-Wan Kwong, Jonathan Shun-Tong Sham, William Ignace Wei, Yok-Lam Kwong, & Anthony Po-Wing Yuen, 2004. Quantitative Plasma Hypermethylated DNA Markers of Undifferentiated Nasopharyngeal Carcinoma. *Clinical Cancer Res*; 10(1) pp.2401-2406.
- Yang, X., Diehl S., Pfeiff R., Chen C. J., Hsu W., L. & Dosemeci M., 2005. Evaluation of Risk Factors for Nasopharyngeal Carcinoma in High-Risk Nasopharyngeal Carcinoma Families in Taiwan. *Cancer Epidemiol Biomarkers Prev*; 14(1) pp.900-905.
- Yamamoto, K., Okamoto A., Isonishi S. dan Ohtake Y., 2001. A Novel Gene, CRR9, which was Up-Regulated in CDDP-Resistant Ovarian Tumor Cell Line, was Associated with Apoptosis. *Biochem Bhiophys Res Commun*; 280 pp.1148-1154.

- Yurnadi, H., Suryandari D. A., Soeharso P., Moeloek N. & Susworo R., 2011. Distribution Pattern of Polymerase Immunoglobulin Receptor (PIGR) Gene Allotype in Nasopharyngeal Carcinoma (NPC) Patients in Indonesia. *J of the Indonesia Med Assoc*; 60(1) pp.489-495.
- Zhang, Yang, Hongxing Zhang, Yun Zhai, Zhifu Wang, Fuchao Ma, Hongxue Wang, Peiyao Li, Ying Zhang, Ying Zhang, Lixia Yu, Ying Cui, Fuchu He & Gengqiao Zhou, 2011. A Functional Tandem-Repeats Polymorphism in the Downstream of TERT is Associated with the Risk of Nasopharyngeal Carcinoma in Chinese Population. *BMC Med*; 9 pp.106-114.
- Zhao, Meng-meng, Yue Zhang, Li Shen, Yang Wu Ren, Xue-Lian Li, Zhi-Hua Yin & Bao-Sen Zhou, 2014. Genetic Variations in TERT-CLPTM1L Genes and Risk of Lung Cancer in a Chinese Population. *Asian Pac J. Cancer Prev*; 15(6) pp.2809-2813.

